

memmert

Memmert Product Range

CLIMATE CHAMBERS

HEATING AND DRYING OVENS

INCUBATORS

WATERBATHS



MADE IN GERMANY

ABOUT MEMMERT

MEMMERT is one of the world's leading manufacturers of climate chambers and temperature control units for laboratories and industrial applications. Our product range comprises climate chambers, heating and drying ovens, incubators, and water baths.

In our role as innovation leader, our philosophy is to align new product developments with customer requirements whilst simultaneously striving for a maximum level of quality, reliability and sustainability. Standardized manufacturing processes in our ultra-modern production facilities implemented by a 550-strong workforce of skilled and experienced employees guarantee consistent high-quality standards.

With over 90 years of experience and an international network spanning the globe, Memmert is synonymous with top Made in Germany quality.

TOUCH, TURN and GO

Simple and intuitive operation with the innovative ControlCOCKPIT.
This gives you a clear and quick overview of all parameters.



SingleDISPLAY



Twin DISPLAY

The best Memmert appliance for each application

The number of possible applications is almost unlimited.
Mettmert appliances are used in a wide variety of areas:

- in the pharmaceutical industry and medicine,
- in biological, chemical and food research,
- for industrial material and component testing and
- for various quality tests in demanding manufacturing processes.

Climate Chambers

04

TYPICAL APPLICATIONS	<ul style="list-style-type: none">■ Conditioning and climate testing of plastic material/metal, composite material■ Storage of electronic components, lacquers, coatings in controlled environment■ Stability testing (HPPeco/ICH according to ICH Q1A)
PRODUCT SERIES	HPPeco HCP ICH CTC TTC

Heating and Drying Ovens

06

TYPICAL APPLICATIONS	<ul style="list-style-type: none">■ Drying, burning-in, ageing■ Vulcanising, degassing, curing■ Burn-in testing, conditioning, heated storage
PRODUCT SERIES	U UNpa UFTS VO

Incubators

08

TYPICAL APPLICATIONS	<ul style="list-style-type: none">■ Microbiological tests, colony counts■ Virology and toxicology
PRODUCT SERIES	I IPPeco ICP ICO

Baths

10

TYPICAL APPLICATIONS	<ul style="list-style-type: none">■ Temperature control of samples, plates, breeding media and emulsions in the laboratory■ Long-term exposure to heat of plastics to determine dimensional stability and post-shrinkage■ Softening temperature testing of plastic■ Warming of baby food
PRODUCT SERIES	WTB

Climate Chambers

Storing, climate testing, conditioning, stability testing, photostability testing.

Each Memmert climate chamber delivers a crucial point in stability and climate tests, conditioning, or aging: homogenous as well as stable temperature and humidity distribution over the entire chamber.

All Memmert climate chambers offer digitally controlled active humidification and dehumidification, thus providing a perfect environment for stability testing in pharmaceuticals, cosmetics, or the food industry, as well as climate and temperature testing in the electronics, chemical, or automotive production.

Constant Climate Chambers HPPeco



Heating Cooling Humidity Light



7 model sizes: 108, 256, 384, 749, 1060, 1360 and 2140 liters

- Model variant TwinDISPLAY
- Temperature range 0 °C up to +70 °C
- Digitally controlled active humidification and dehumidification 10 to 90 % rh
- Heating and cooling based on unique Advanced Peltier Technology
- Reduced power consumption – no compressor
- Hardly any vibration and noise
- Double doors (inside glass, outside stainless steel)
- Optional with LED light

Humidity Chambers HCP



Heating Humidity



4 model sizes: 56, 107, 156 and 241 liters

- Model variant TwinDISPLAY
- Temperature range +18 °C up to +90 °C
- Digitally controlled active humidification and dehumidification 20 to 95 % rh
- 6 side heating incl. heated inner glass door:
short recovery times, avoiding condensation
- Double doors (inside glass, outside stainless steel)



Heating Cooling Humidity Light



3 model sizes: 108, 256 and 749 liters

- Model variant TwinDISPLAY
- Temperature range +10 °C up to +60 °C with humidity, -10 °C up to +60 °C without humidity
- Digitally controlled active humidification and dehumidification 10 to 80 % rh
- Double doors (inside glass, outside stainless steel)
- Models ICH L with illumination unit
- Refrigerant R134a

Climate Chambers ICH



Heating Cooling Humidity



Model size: 256 liters

- Temperature range +10 °C up to +95 °C with humidity, -42 °C up to +190 °C without humidity
- Digitally controlled active humidification and dehumidification 10 to 98 % rh (only CTC)
- Temperature change rate in cooling operation (acc. to IEC 60068-3-5) 3 K/min (+180 °C to -40 °C)
- Temperature change rate in heating operation (acc. to IEC 60068-3-5) 10 K/min (-40 °C to +180 °C)
- Automatic defrosting system provided for the evaporator

Environmental Test Chambers CTC / TTC



HEATING AND DRYING OVENS

Drying, heating, aging, testing, sterilizing, burning-in, curing, storing.

In 1947, the first ever Memmert oven, a hot air sterilizer, was built for the Red Cross. Ever since then, the Memmert range of heating and drying ovens has grown into a versatile line-up of extremely precise and reliable high-quality temperature control appliances.

Designed to make the lab staff's day-to-day work easier and more efficient, Memmert heating and drying ovens offer the utmost level of user-friendliness. From material testing labs to electronic production, from fire brigades to opera houses, from pharmaceutical research to hospitals, these state-of-the-art ovens connect to the world.

Universal Ovens U



Heating



9 model sizes from 32 liters to 1060 liters

- 2 model variants: SingleDISPLAY or TwinDISPLAY
- Temperature range up to +300 °C
- All-round heating on all 4 sides for excellent temperature homogeneity
- Natural convection (N) or forced air circulation (F)

Paraffin oven UNpa



Heating



5 model sizes (32 to 161 liters volume)

- Model variant TwinDISPLAY
- Temperature range up to +80 °C
- High thermal safety thanks to multiple overtemperature protection
- With no supply and exhaust air, the interior is virtually gas-tight, preventing the build-up of oily residues in small cavities



Heating



4 model sizes: 161, 256, 449 and 749 liters

- Model variant TwinDISPLAY
- Temperature range up to +250 °C
- All-round heating on all 4 sides for excellent temperature homogeneity
- For 2-sided loading (door front and back)
- Forced air circulation

Pass-through Ovens UF TS



Heating



Vacuum



3 model sizes: 29, 49 and 101 liters

- Model variant TwinDISPLAY
- Temperature range up to +200 °C
- Pressure range: 5 to 1100 mbar
- Digital electronic pressure control
- Separately adjustable and directly heated thermoshelves
- Multifunctional fuzzy-supported control
- Control and logging software AtmoCONTROL

Vacuum Ovens VO



INCUBATORS

Microbiological testing, incubating, and cultivating.

Microbial and especially cell cultures are extremely sensitive to fluctuations in their surrounding micro-climate. The slightest swing of environmental parameters can jeopardize the results of an experiment. Therefore, each Memmert incubator was designed for long-term stability of temperature, humidity, and carbon dioxide.

Like a well-tuned engine, the control systems in a Memmert incubator are perfectly balanced between swift and smooth operation. Each incubator precisely keeps the desired parameters in the entire working chamber within the smallest tolerance limits.

Incubators I



Heating



8 model sizes from 32 liters to 749 liters

- 2 model variants: SingleDISPLAY or TwinDISPLAY
- Temperature range up to +80 °C
- All-round heating on all 4 sides for excellent temperature homogeneity
- Natural convection (N) or forced air circulation (F)
- Double doors (inside glass, outside stainless steel)

Peltier-cooled Incubators IPeeco



Heating



Cooling



Light



9 model sizes: 32 liters to 2140 liters

- 2 model variants: SingleDISPLAY or TwinDISPLAY
- Temperature range 0 °C up to +70 °C
- Heating and cooling based on unique Advanced Peltier Technology
- Reduced power consumption – no compressor
- Hardly any vibration and noise
- Double doors (inside glass, outside stainless steel)
- Optional with LED light



Heating Cooling



4 model sizes: 108, 256, 449 and 749 liters

- Model variant TwinDISPLAY
- Temperature range -12 °C up to +60 °C
- Very good air circulation in the interior thanks to sophisticated ventilation technology
- Double doors (inside glass, outside stainless steel)
- Refrigerant R134a

Compressor-cooled Incubators ICP



Heating Humidity O₂ CO₂



4 model sizes: 56, 107, 156 and 241 liters

- Model variant TwinDISPLAY
- Temperature range up to +50 °C
- Humidity range 40 to 97 % rh (active and passive control available)
- Standard sterilization program: 60 minutes at 180 °C (without removing sensors)
- 6 side heating incl. heated inner glass door: short recovery times, avoiding condensation

CO₂ Incubators ICO



WATERBATHS

Memmert's evergreens: uniquely precise and reliable.

Ever since Memmert started its waterbath production in the 1960's, the continuous development of modern control technology as well as various safety features have made waterbaths pillars of the Memmert product range. Due to their unparalleled precision, they are perfectly suited for demanding applications in quality management and science.

Waterbaths WTB



Heating



6 model sizes: 7, 10, 17, 23, 37 and 51 liters

- Temperature range up to +100 °C
- Flat and gable cover, bottom shelf reversible, shaking device available as accessory
- High-quality, rust-resistant and easy-to-clean stainless steel for the interior and exterior housing



10 good reasons for a Memmert

- **Leader in technology:** Experienced and continuously innovative for more than 6 decades.
- **ControlCOCKPIT:** Touch, turn & go! Easy and intuitive operation. Clear view of all parameters.
- **Performance:** Unparalleled precision and temperature stability, brilliant all-round surface heating.
- **Advanced Peltier Technology:** Pioneer of energy-efficient, environmentally friendly products with Peltier technology.
- **Convenience:** Interfaces for connecting and programming, easy opening/closing of the door and transport.
- **Safety:** of users and chamber loads. Electronic temp. monitoring system, over-temperature protection, alarm notifications and MobileALERT.
- **AtmoCONTROL-Software:** Drag, drop & go! Simple to operate, user-friendly, multiple possibilities for reading and data logging.
- **Stainless steel:** Beautiful and functional. Particularly corrosion resistant, hygienic, robust, can be recycled without any problems.
- **Service:** Technical support – whenever, wherever. Spares, maintenance, repair, commissioning, IQ/OQ/PQ qualification, customer training.
- **Customized solutions:** Tailor-made solutions and customized appliances for complex applications.

Individual design meets strategic partnership

The range of services of m360 includes both small modifications and complex high-tech innovations.

Since the 1980s, m360 has been developing and implementing customer-specific, premium solutions in the field of temperature and climate control technology based on Memmert series products. At Memmert's central production site in Schwabach, Middle Franconia (southern Germany), the m360 team of experts design and produce tailor-made solutions in close cooperation with customers and business partners in order to create the perfect atmosphere for every application.

In doing so, m360 focuses on the creative and innovative development of the established Memmert technology according to the individual wishes of the customers. This can be a simple modification of a series product from Memmert or an extensive project in the construction of special machines and systems.

What we can do for you

Our brand is aimed at international customers who are looking for solutions to special challenges in the field of temperature and climate control technology. We offer an extremely high customer-first focus to create products that do not exist in the market. We collaborate closely with the customer to understand and meet the specific challenges and requirements down to the very last detail. At the same time, our experts work intensively on innovative ideas which they identify as highly topical, e.g., automatic solutions for the laboratory. With our experienced insight into the market, our team can precisely estimate trends and special solutions that will be in demand in the future.

The UF600plus in detail



Ergonomic telescopic rails
and special trays
make it easier to load the device.



The reinforced handle enables
the particularly tall door
to be opened easily.




Modifications

With m360 modifications and special accessories, you can unleash the full potential of your Memmert product. In our m360 list of services, you will find a selection of frequently requested extensions of a Memmert basic device. This includes additions such as entry ports and traffic light circuits, as well as individual programming of the AtmoCONTROL software.



Mechanics

- Customized interior fittings
- Individual entry ports in all sizes and shapes
- Telescopic slide pull-outs for ergonomic loading



Electronics

- Extended parameter monitoring e.g. by means of additional measuring sensors
- Optical and acoustic process monitoring e.g. by means of a traffic light system



Accessories

- Tailor-made subframe and stacking options
- Modified grids and shelves
- Individual air filters



Software

- Additional interfaces for data evaluation
- Individual temperature, humidity and CO2 parameters

Select Series

Our m360 Select Series comprise of highly developed devices that are based on frequently expressed customer requests and have proven successful in practice. Customers value these high-quality custom-made products for their outstanding quality and reliability. The portfolio includes both frequently requested special sizes and appliances or highly specific requirements, such as meeting a standard or drying food residues on crockery. Each appliance in the m360 Select Series is the result of meticulous development work by m360 experts and is based on customer feedback, achieving perfect balance between innovation and practicality.

Innovations

With m360 Innovations, we offer you complete, customized solutions that are precisely tailored to your individual needs. Our team of experts is at your side from the initial technical consultation to the final implementation. Based on proven Memmert technology, we develop and build appliances that are specifically designed for your application. No matter how complex your requirements are, we deliver innovative solutions that are tailored to your specific needs and harness the full power of our technology.

m360
Solutions for you





CONTACT US!

Do you have any questions about the Memmert product portfolio or would you like personalised support?
Please get in touch with your Memmert representative, send us an e-mail to sales-usa@memmert.com
or visit our website www.memmertusa.com.
We look forward to hearing from you!



E-Mail: sales-usa@memmert.com



Phone: +262.594.3941